


Make Your Construction Site JUSTRITE

Justrite Safety Group offers a collection of product solutions to help keep your job site safe



Start with the EssentialSM



- | | | | |
|---------------------------------|--|------------------------------------|---|
| 1 Ground Protection Mats | 4 Safety Cabinets & Safety Cans (in storage shed) | 7 Wheel Chocks | 10 Emergency Safety Shower/Eyewash |
| 2 Cable Protectors | 5 Signage & Identification | 8 Warning Whips | 11 Emergency Eyewash |
| 3 Traffic Control | 6 Spill Containment Berms | 9 Noise Protection Barriers | 12 Hand Wash Station |



Ground Protection

AlturnaMATS® and VersaMAT®

Matting protects sensitive turf while providing temporary access, roadways, or working platforms. Connect mats together to form roadways or walkways. Lasts longer than plywood—mats are weather resistant with no warping, splintering, or breaking. High load capacity of 120 tons.



AlturnaMATS®
surface tread



VersaMAT®
surface tread

- AM48 AlturnaMATS®, black, 4 x 8 ft ▲*
- AM38 AlturnaMATS®, black, 3 x 8 ft ▲*
- VM48 VersaMAT®, black, 4 x 8 ft ▲*
- VM38 VersaMAT®, black, 3 x 8 ft ▲*

Outrigger Crane Pads

Reduce risk of heavy equipment toppling with stabilizing outrigger pads, especially when working on soft surfaces such as grass or dirt. Protect against damage to wood, concrete, or asphalt surfaces.



- PAD18181 Outrigger Pad, 18" x 18" x 1", 45,000 lb load, black
- PAD24241 Outrigger Pad, 24" x 24" x 1", 60,000 lb load, black
- PAD24242 Outrigger Pad, 24" x 24" x 2", 62,000 lb load, black

Why Use Checkers Ground Protection Mats?



Protect grass and soft or sensitive ground from damage



AlturnaMATS add stability and traction in unstable or harsh conditions



Create safe walking paths and temporary sidewalks with VersaMAT



Lasts longer than plywood—won't warp, splinter or break

Noise Protection

Justrite QuietSite™ Noise Reduction Barriers

Keep noise to a minimum when using noise-generating equipment. Premium panels include hook and loop fasteners and magnets for a seamless, secure link between panels. Mount panels on standard link fence, scaffolding, or steel frame; kits include a metal frame and base to create a freestanding barrier.

- 26462 QuietSite Premium Noise Reduction Barrier, 4 x 6 ft panel ▲*
- 26466 QuietSite Premium Noise Reduction Barrier, 4 x 8 ft panel ▲*
- 26462KT QuietSite Premium Noise Reduction Barrier Kit, 4 x 6 ft panel ▲*
- 26466KT QuietSite Premium Noise Reduction Barrier Kit, 4 x 8 ft panel ▲*



*▲ **WARNING:** This product can expose you to chemicals including lead, carbon black, chromium, nickel compounds, and sulfur dioxide, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

†▲ **WARNING:** This product can expose you to chemicals including diisononyl phthalate, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



Vehicle & Motion Safety

Wheel Chocks

Wheels should be chocked when a truck or trailer is parked at a worksite. The lightweight, impact-absorbing polyurethane construction provides a durable, safe solution to keep vehicles in place.

MC3012	Heavy-Duty Wheel Chock, 95"-142" tire, 255 ton load Δ^*
MC3010	Heavy-Duty Wheel Chock, 65"-105" tire, 165 ton load Δ^*
AT3514-RP-Y	All-Terrain Wheel Chock; rubber pad cored bottom, 36"-46" tire, 150,000 lb load Δ^*
AT3512-RP-Y	All-Terrain Wheel Chock; rubber pad cored bottom, 28"-38" tire, 80,000 lb load Δ^*
UC1500-6	General-Purpose Wheel Chock, 32"-46" tire, 70,000 lb load Δ^*
UC1700	General-Purpose Wheel Chock, 27"-35" tire, 30,000 lb load Δ^*
MVHR626	OSHA Caution Safety Sign: Driver Must Chock Wheels, 7" x 10"



Cable & Hose Management

Create safe passage for pedestrians and vehicles while protecting valuable electrical cables, cords and hose lines. Options available for high load capacity, multiple channels, hose protection, ADA compliance and overhead management.



CP5X125-Y/O	Linebacker [®] , 5 channel, yellow/orange Δ^*
CHQUICKHOOK-O	Quick Hook Overhead Hanging Cable Management Δ^{**}
GD5X125ADA0/BLU	Guard Dog [®] General Purpose ADA, 5 channel, orange/blue Δ^*
UHB4045	Diamondback [®] Hose Bridge System for 4.5" line, yellow Δ^*

Δ^* **WARNING:** This product can expose you to chemicals including carbon black, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Δ^* **WARNING:** This product can expose you to chemicals including acrylonitrile and styrene, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov.

Δ^* **WARNING:** This product can expose you to chemicals including carbon black, titanium dioxide, formaldehyde, and benzyl butyl phthalate, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov.

Δ^{**} **WARNING:** This product can expose you to chemicals including isopropylidenediphenol, methylene chloride, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Warning Whips

Warn others of a vehicle's presence—Checkers' warning whips provide the highest level of visibility and reliability in any weather or working condition. Available in a variety of sizes, flag options, lighting options and mounting styles. All-purpose include lighting, are more robust, and intended for more rugged environments.



F55X-O	General-Purpose Warning Whip, non-lighted, 5 ft with hex base, 12" orange flag with white reflective X Δ^{**}
F55XL-O	General Purpose Warning Whip, lighted, 5 ft with hex base, 12" orange flag with white reflective X Δ^{**}
F58X-O	General Purpose Warning Whip, non-lighted, 8 ft with hex base, 12" orange flag with white reflective X Δ^{**}
F58XL-O	General Purpose Warning Whip, lighted, 8 ft with hex base, 12" orange flag with white reflective X Δ^{**}
AP8.12OY.A	All-Purpose Warning Whip, lighted solid amber Rocket II LED, 8 ft with RCA plug, 12" orange flag with yellow X Δ^{**}
AP10.12OY.A	All-Purpose Warning Whip, lighted solid amber Rocket II LED, 10 ft with RCA plug, 12" orange flag with yellow X Δ^{**}

Traffic Control

Traffic Cones



FBC216 Δ^{**}	28" H
FBC219 Δ^{**}	36" H

A-Frame Plastic Barricade



FBA618	Type 1 Reflective, 40" H x 8 ft W
FBA629	Type 2 Reflective, 40" H x 8 ft W

Traffic Signs



MR1124	24" x 24"
--------	-----------

Δ^{**} **WARNING:** This product can expose you to chemicals including nickel compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov.

Δ^{**} **WARNING:** This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



Start with the Essential.SM

Fire Safety

Safety Cans

Protect workers and reduce the risk of fire and explosion when pouring and storing flammable liquids. OSHA requires the use of approved safety cans for transfer, storage and dispensing of gasoline, diesel, and other flammable liquids.



Safety Can Color Key

- Red - Gasoline
- Blue - Kerosene
- Yellow - Diesel
- Green - Oil



Type I Safety Cans — include funnel

- UI50FS Eagle Type I Safety Can, 5 gallon, red ▲*
- UI50FSY Eagle Type I Safety Can, 5 gallon, yellow ▲*
- 7150110 Justrite Type I Safety Can, 5 gallon, red

Type II Safety Cans — include metal hose

- 7250130 Justrite Type II AccuFlow™ Safety Can, 5 gallon, 1" hose, red
- 7250220 Justrite Type II AccuFlow™ Safety Can, 5 gallon, 5/8" hose, yellow
- 7350110 Justrite DOT Type II AccuFlow™ Safety Can, 5 gallon, 5/8" hose, red

Outdoor Ashtrays

For safe collection of cigarette butts outdoors, unique designed receptacles keep areas clean looking while reducing the risk of fire.

Justrite Original Smoker's Cease-Fire® Cigarette Butt Receptacles

- 26800D 4 gallon, polyethylene with galvanized steel bucket, deco black
- 26800 4 gallon, polyethylene with galvanized steel bucket, pewter gray
- 26800B 4 gallon, polyethylene with galvanized steel bucket, adobe beige



Eagle SafeSmoker™ Cigarette Receptacle

- 1206BLACK 5 quart, HDPE with galvanized steel bucket, black
- 1206GRAY 5 quart, HDPE with galvanized steel bucket, gray
- 1208BLACK 4 gallon, HDPE with galvanized steel bucket, black
- 1208GRAY 4 gallon, HDPE with galvanized steel bucket, gray

*▲ **WARNING:** This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



Safety Cabinets

Safe, secure storage of fuels and flammables on site. A safety cabinet is needed when the job site has over 25 gallons of flammable or combustible liquids. Our safety cabinets meet OSHA and NFPA 30. Eagle Tower cabinets with legs can be moved easily with a forklift.



Justrite Sure-Grip® EX Safety Cabinets

- 893000 30 gallon, 2 manual-close doors, yellow
- 893020 30 gallon, 2 self-close doors, yellow ▲*
- 894500 45 gallon, 2 manual-close doors, yellow
- 894520 45 gallon, 2 self-close doors, yellow ▲*

Eagle Flammables Safety Cabinets

- 1932XLEGS 30 gallon Tower, 2 manual-close doors, yellow
- 3010XLEGS 30 gallon Tower, 2 self-close doors, yellow ▲*
- 1947X 45 gallon, 2 manual-close doors, yellow
- 4510XLEGS 45 gallon Tower, 2 self-close doors, yellow ▲*

Paint Safety Cabinets for storing oil-based paint, aerosol cans, and paint cleaners

- 893011 Justrite Sure-Grip® EX Combustibles Safety Cabinet, 40 gallon, 2 manual-close doors, red
- YPI77X Eagle Paint and Ink Aerosol Can Safety Cabinet, 30 gallon, 2 manual-close doors, yellow

Oily Waste Can

As per OSHA, all oily rags shall be put directly in fire resistant covered containers until removed from worksite. Options for chemical compatibility.



Justrite Metal Oily Waste Cans

- 09100 6 gallon, foot-operated, self-closing cover, red
- 09300 10 gallon, foot-operated, self-closing cover, red

Eagle Poly Oily Waste Cans

- 933FL 6 gallon, hands-free operation, self-closing lid, red
- 937FL 14 gallon, hands-free operation, self-closing lid, red

Safety Signs



MCHL231

10" x 14"

MSMK136

10" x 14"

Start with the Essential.sm

Worker Safety

Portable Emergency Eyewashes

Self-contained eyewash stations are ideal where continuous water isn't available—no plumbing needed. ANSI-compliant.



- 10GFEW Portable OptiWash® Gravity Fed Eyewash, 10 gallon
- 16GFEW Portable Gravity Fed Eyewash, 16 gallon
- 15GEW Portable, Self-Contained Emergency Eyewash, pressurized, 15 gallon ▲†
- OPT50 Handheld Drench Hose for 15GEW
- ADDR4PKUS Additive Solution for portable eyewashes; USA version
- ADDR4PKCAN Additive Solution for portable eyewashes; Canada version
- MFSD927 Emergency Safety Sign: Eye Wash Station - Keep Area Clear, 10" x 14"

Knee RX™ Kneeling Mats

Reduce strain on knees and lower back in extreme kneeling applications. Pads provide a comfortable work surface for extreme kneeling applications such as gravel, asphalt, concrete, dirty/oily surfaces, tile & wood flooring, metal grating, and grass. Eliminates the hassle and discomfort of wearing knee pads. Knee RX HD features a heavy-duty rubber bottom surface for long-lasting wear in the roughest environments.



- 950S1214BL 950 Knee RX Kneeling Mat, 12" x 14", black ▲*
- 950S1222BL 950 Knee RX Kneeling Mat, 12" x 22", black ▲*
- 950S4122BL 950 Knee RX Kneeling Mat, 12" x 22", black; pack of 4 ▲*
- 951S1222BL 951 Knee RX HD Kneeling Mat, 12" x 22", black ▲*
- 951S4122BL 951 Knee RX HD Kneeling Mat, 12" x 22", black; pack of 4 ▲*

Hughes Mobile Hand Washing Station

Prevent the spread of germs, in any location. This portable, self contained station features a 30 gallon tank, foot activation, and soap and paper towel dispensers. Fill easily with a garden hose.

- HW40K Mobile Self-Contained Hand Washing Station ▲†



Mobile Emergency Safety Shower

Mobile showers with eye/face wash allow reliable, effective treatment in remote locations where water supply is unavailable.

Model 40K45G is ideal for quick rinse to span the gap, but cannot serve as the only source for shower and eyewash. Model MHW200 has a 528 gallon tank with Integral immersion heater, heavy-duty galvanized trailer, and is ANSI-compliant.



40K45G



MHW2000-1

- 40K45G Mobile Self-Contained Emergency Safety Shower, 30 gallon ▲†
- MHW2000-1 Mobile Self-Contained Emergency Safety Shower, 528 gallon, 110V GP ▲†
- MFSD929 Emergency Safety Sign: Safety Shower - Keep Area Clear, 10" x 14"



*▲ **WARNING:** This product can expose you to chemicals including di-2-ethylhexyl phthalate and/or diisononyl phthalate which is known to the State of California to cause cancer, birth defects or reproductive harm. For more information, visit www.P65Warnings.ca.gov.


*▲ **WARNING:** This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



Signage & Identification

Lockout Tags

OSHA compliant tag identifies the lockout situation and person at risk.



MLT600
25/pk



MLT407
25/pk

Safety Tags By-The-Roll

Tags By-The-Roll keep a large quantity of tags readily available and organized in a disposable dispenser.



TAR121 250/roll



TAR160 250/roll



TAR166 250/roll



TAR711 100/Roll



TAR111 250/roll

Status Alert Tag Holders

Insert, enclose, and contain your status alert tags in a secure tag holder system.



TSS902 Secure-Status Tag Holder



TSS801 Scaffold Status Tag Holder. Includes default message: Do Not Use Scaffold Or Climber

WARNING: Cancer -- www.P65Warnings.ca.gov

Custom Signs Made Easy... Made Fast

Signs, tags, banners, and more. Contact us for full details

RAMS Communication Center

Risk Assessment Management System displays important documents and safety information in one centralized location. Molded plastic free-standing board stand, 88"H x 74"W x 40"D.



PBR101YL
RAMS Board Communication Centers, yellow

STOPOUT® Lockout Kits

5S Boards for Lockout Tagout helps workers instantly recognize when an item is in use or needs to be returned.

KST300 6-Padlock STOPOUT® Standard Lockout Centers - Combo Kit. 27"H x 54"W



KST301 12-Padlock STOPOUT® Deluxe Lockout Centers - Combo Kit. 40"H x 37"W



WARNING: Cancer and Reproductive Harm -- www.P65Warnings.ca.gov

PPE ID chart

Help employees understand personal protective equipment requirements on the jobsite. 24"H x 18"W chart with label booklet of common 2" x 2" PPE images.



PPE248 Safety Sign: PPE-ID™ Chart & Label Booklet Kit

Hard Hat Labels & IDs



LHTL251 ICE Hard Hat Label, 1.5" x 6", 5/pk

LHTL800 Hard Hat ID/Badge Holders, 10/pk





Signage & Identification

Signs & Banners

Safety Signs



MADM644CP 10" x 14"



MADM714 10" x 14"



MPPG663 10" x 14"



ECRT533MBM

WARNING: Cancer and Reproductive Harm -- www.P65Warnings.ca.gov



MCRT135 10" x 14"
MCRT106 14" x 20"



MADM014 10" x 14"



MELC076 18" x 24"



MPPA005 10" x 14"



MADM119 18" x 24"



MPPE150 18" x 24"

Fence-Wrap™ Mesh Gate Screens, 4 ft x 6 ft



FBW202



FBW201

WARNING: This product can expose you to chemicals including arsenic, nickel compounds, which are known to the State of California to cause cancer, and cadmium, lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Contractor Preferred Site Safety Sign, 36" x 24"

Job Site Start-Up Kit

All the sign and identification products needed for contractors starting new projects. Includes top-selling products suited specifically for construction sites. Kit contents are not trade-specific, making them perfect for any type of construction project.



CSK103 Job Site Start-Up Kit

Kit contents:

- 20 Contractor Preferred Corrugated Plastic Signs - 18" x 24" - 2/ea
- 1 OSHA Caution Tags By-The-Roll: Blank - 250/rl
- 1 OSHA Danger Tags By-The-Roll: Do Not Operate - 250/rl
- 1 OSHA Danger Safety Label: High Voltage - Keep Away
- 1 NFPA Blank Placard & Placard Kit
- 1 Self-Laminating Helmet Decal: ICE
- 1 Plastic Barricade Tape: Caution
- 1 Hard Hat Sticker: Country Flag
- 1 OSHA Danger Tags By-The-Roll: Blank - 250/rl
- 1 NFPA Basket-Style Aluminum Center: Right-To-Know Station
- 1 Lockout Kit: STOPOUT® Deluxe Lockout Kit
- 1 Plastic Barricade Tape: Danger
- 1 Potable Water Cooler Tape

WARNING: Cancer and Reproductive Harm -- www.P65Warnings.ca.gov

Tilt-Adjust™ Roll-Up Signs: tilts for use in moderate winds. Signs and stand sold separately.



- FRC750 Roll-Up Sign Stand, Springless
- FRC305MV Roll-Up Construction Sign: BE PREPARED TO STOP, Mesh Vinyl, 36" x 36"
- FRC306MV Roll-Up Construction Sign: FLAGGER AHEAD, Mesh Vinyl, 36" x 36"
- FRC308MV Roll-Up Construction Sign: MEN WORKING, Mesh Vinyl, 36" x 36"

WARNING: This product can expose you to chemicals including nickel compounds, which is known to the State of California to cause cancer, and lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Custom Signs... Made Easy... Made Fast

Signs, tags, banners, and more
Contact us for full details





Start with the Essential.SM



Spill Containment Berms

QuickBerm®

Secondary containment berms help meet EPA regulations and provide dependable spill control for leak-prone containers and equipment. Berms set up in minutes for quick response under emergency spill conditions.



- 28542 QuickBerm®, 745 gallon capacity, 10 ft W x 10 ft L x 12"H ^Δ*
- 28544 QuickBerm®, 1075 gallon capacity, 12 ft W x 12 ft L x 12"H ^Δ*
- 28522 Rigid-Lock QuickBerm®, 1075 gallon capacity, 12 ft W x 12 ft L x 12"H ^Δ*

QuickBerm® Lite

Portable, versatile berm deploys quickly for emergency spill containment. Folds to a small size for easy storage.



- 28558 QuickBerm® Lite, 119 gallon capacity, 4 ft W x 6 ft L x 8"H ^Δ‡

Make-A-Berm™ Kit

Make-A-Berm™ installs easily around existing equipment, in spill-prone areas, or where a standard shape berm won't fit.

- 28464 Make-A-Berm™ Custom Spill Containment Kit, 1.5"H x 50 ft L ^Δ†



Decontamination QuickBerm®

Multi-stage berm with washdown zones safely captures and contains contaminated solutions. Lightweight and portable, ideal for emergency hazmat response cleanup operations.



- 28570 Decon QuickBerm®, 2-zone, 6 ft W x 10 ft L x 8"H ^Δ**

Washdown QuickBerm®

Portable drive-through station captures contaminated water from vehicle and equipment wash down.



- 28578 Washdown QuickBerm®, 425 gallon capacity, 10 ft W x 18 ft L x 4"H ^Δ††

^{*}**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm, and nickel, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

[†]**WARNING:** This product can expose you to chemicals including silica, crystalline and titanium dioxide, which are known to the State of California to cause cancer, methanol and toluene, which are known by the State of California to cause birth defects or other reproductive harm, and diisononyl phthalate, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warning.ca.gov.

[‡]**WARNING:** This product can expose you to chemicals including diisononyl phthalate and lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

^{**}**WARNING:** This product can expose you to chemicals including diisononyl phthalate and lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

^{††}**WARNING:** This product can expose you to chemicals including diisononyl phthalate and lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

To order, contact: